

IMC2020: Problems on Day 1

Problem 1. Let n be a positive integer. Compute the number of words w (finite sequences of letters) that satisfy all the following three properties:

- (1) w consists of n letters, all of them are from the alphabet $\{a, b, c, d\}$;
- (2) w contains an even number of letters a ;
- (3) w contains an even number of letters b .

(For example, for $n = 2$ there are 6 such words: aa, bb, cc, dd, cd and dc .)

Armend Sh. Shabani, University of Prishtina

Problem 2. Let A and B be $n \times n$ real matrices such that

$$\text{rk}(AB - BA + I) = 1$$

where I is the $n \times n$ identity matrix.

Prove that

$$\text{tr}(ABAB) - \text{tr}(A^2B^2) = \frac{1}{2}n(n-1).$$

($\text{rk}(M)$ denotes the rank of matrix M , i.e., the maximum number of linearly independent columns in M . $\text{tr}(M)$ denotes the trace of M , that is the sum of diagonal elements in M .)

Rustam Turdibaev, V. I. Romanovskiy Institute of Mathematics

Problem 3. Let $d \geq 2$ be an integer. Prove that there exists a constant $C(d)$ such that the following holds: For any convex polytope $K \subset \mathbb{R}^d$, which is symmetric about the origin, and any $\varepsilon \in (0, 1)$, there exists a convex polytope $L \subset \mathbb{R}^d$ with at most $C(d)\varepsilon^{1-d}$ vertices such that

$$(1 - \varepsilon)K \subseteq L \subseteq K.$$

(For a real α , a set $T \subset \mathbb{R}^d$ with nonempty interior is a *convex polytope with at most α vertices*, if T is a convex hull of a set $X \subset \mathbb{R}^d$ of at most α points, i.e., $T = \{\sum_{x \in X} t_x x \mid t_x \geq 0, \sum_{x \in X} t_x = 1\}$. For a real λ , put $\lambda K = \{\lambda x \mid x \in K\}$. A set $T \subset \mathbb{R}^d$ is *symmetric about the origin* if $(-1)T = T$.)

Fedor Petrov, St. Petersburg State University

Problem 4. A polynomial p with real coefficients satisfies the equation $p(x+1) - p(x) = x^{100}$ for all $x \in \mathbb{R}$. Prove that $p(1-t) \geq p(t)$ for $0 \leq t \leq 1/2$.

Daniil Klyuev, St. Petersburg State University

